

SELF  
ADHESIVE  
DECORATIVE  
FILM

**WID** 穩得



2025  
2026

SELF ADHESIVE DECORATIVE FILM  
自黏性裝飾貼膜

WID 穩得

SAME 



LINE Official Account

# 好友 募集中

@woender

進入LINE後, 點選「加入好友」  
並搜尋ID或掃描行動條碼!





每天在鋼筋混凝土鑄造的城市森林裡生活，被高度緊張的生活束縛，是否忘了停下腳步來改變自己與生活空間？辦公室及生活空間想改變，總是因為沈重的裝修時間與成本讓你不敢改變，或還在糾結眼花繚亂的裝修風格.....不要苦惱，穩得CHANGE系列產品幫你輕鬆搞定。

Living in the urban forest made of steel and concrete every day, with a high level of tension and constraints, have you forgotten to stop and change yourself and your living space? If you want to change them and always make you afraid to change due to the high time and cost of decoration, or struggling with the decoration style.

Don't worry! WD CHANGE series products help you easily handle it.

一撕一貼，即刻改變！  
TEAR AND STICK, CHANGE AT ONCE!



# 技術參數

**特點** 優質自黏性裝飾貼膜面料，逼真自然的印刷工藝，極盡真實觸感的木紋效果，自帶背膠，施工方便，樣式多樣，是室內裝修的優選材料！

無甲醛

耐磨6000轉


耐燃一級

REACH SVHC

**用途** 可廣泛應用於室內裝修，如各類型公共區域、酒店、辦公大廳、電梯間等具有阻燃性能要求的場所，以及新房裝修，老屋改造，傢俱美化，舊傢俱翻新等快速美化施工需求。

**規格** 1.22\*50M

**分層結構**  
 保護膜  
 環保油墨  
 PVC底材  
 環保壓紋膠  
 壓紋底紙



**證書**



耐磨6000轉  
WEAR RESISTANCE



耐燃一級  
FIRST LEVEL FR.



無甲醛  
NON - TOXIC



REACH SVHC  
REACH SVHC REPORT

**施工**

### 施工前

- 先根據貼著面的不同類型和狀態進行相應的處理。
- 如貼著面表面粗糙，建議使用砂紙處理後再施工。
- 如貼著面表面有污染物，請先清除處理再施工。
- 建議保持貼著面須有的平整度，否則會影響貼膜的黏貼力度。
- 不同批次之間產品可能存在略微的色差，請施工前確認是否為同一批次。

### 施工時

- 彎曲面可使用熱風槍輔助，請根據貼著物的不同材質和特殊產品型號調整底油處理和按壓力度。
- 裁切產品時請在光滑乾淨的作業檯上，以防刮傷貼膜表面。
- 有些產品彎曲、折壓施工時，彎折處可能會產生白化現象。
- 如需重疊施工，有些產品由於壓紋深度，施工將有難度，無法保證阻燃性能，建議及時諮詢我司。
- 如貼膜長期接觸橡膠材質貼著物，因橡膠成分產品可能會發生變色。
- 臨時保管時請用膠帶固定貼膜，以防損壞。
- 建議施工溫度：15-25℃

### 施工後

- 產品黏性會隨時間逐漸增強，3-7日黏性最佳。
- 完成作業後，請用中性洗滌劑或清水擦拭貼膜表面，以防表面受損。

**儲存** 應存放於清潔乾燥處，避免陽光直射，溫度低於35℃，並於2年內使用，使用剩餘部分請及時複卷，密封保存，以免影響產品性能。

**運輸** 保管及發貨時請將貨物標籤面置於同一方向，切勿堆放7個以上箱子，不可疊加2個以上托盤。運輸過程中，請輕拿輕放，以免產品邊緣破損。

## TECHNICAL DATA

### Characteristic

High quality self-adhesive decorative film fabric, realistic and natural printing process, extremely realistic wood grain effect, self adhesion, convenient construction, diverse styles, and is the preferred material for work and home decoration!

### Application

It can be widely used for indoor decoration, such as various types of public areas with fire retardant requirements, such as hotels, offices, electrical lifts and new house decoration, old house renovation, furniture beautification, furniture renovation, and other rapid beautification construction needs.

**SIZE: 1.22\*50m**

### CONSTRUCTION ATTENTION

- Before construction, please make corresponding treatments according to different types and states of the adhesive surface. If adhesive surface is rough, it is recommended to use sandpaper treatment before construction. If there are pollutants on the adhesive surface, please handle them first before construction. It is recommended to maintain the required flatness of the adhesive surface, otherwise it will affect the adhesion strength of the film. There may be slight color differences between different batches of products. Please confirm whether it is the same batch before construction.
- During construction, the curved surface can be assisted by the hot air gun. Please adjust the bottom oil treatment and pressure according to the different materials and special product models of the adhesive. When cutting products, please place them on a smooth and clean workbench to prevent scratching the surface of the film. Some products may experience whitening at the bending point during bending construction. If overlapping construction is required, some products may have difficulty in construction and flame retardant due to the depth of embossing. Please consult our company. If the film is in long-term contact with the rubber material, the product may change color due to the rubber composition. Please use tape to secure the film during temporary storage to prevent damage. Suggested construction temperature: 15-25 °C.
- After construction, the stickiness of the product will gradually increase over time, with 3-7 days being the best for stickiness. After completed, please wipe the surface of the film with neutral detergent or clean water to prevent surface damage.

### STORAGE ATTENTION

Should be stored in a clean and dry place, away from direct sunlight, at temperatures below 35°C, and used within 2 years. Please rewind and seal the remaining parts in time to avoid affecting product performance.

### TRANSPORTATION ATTENTION

When storing and shipping, please place the label surface of the goods in the same direction. Do not stack more than 7 boxes or stack more than 2 pallets. During transportation, please handle with care to avoid damage to the product edges.



# INDEX/索引

胡桃木 WALNUT GRAIN	
WD004	01
WD006	
WD001	02
WD002	
WD003	
WD005	
WD007	03
WD008	
WD009	
WD010	04
WD011	
WD012	
WHI08	06
WD022	07
WD023	
WD021	08
WD020	09
WD017	10
WD018	
WD019	
WD013	11
WD014	
WD015	
WD016	
梨木 PEAR GRAIN	
WD080	12
WD081	
WD076	13
WD077	14
WD078	
WD079	

橡木 OAK GRAIN	
WD026	15
WD029	
WD024	16
WD025	
WD027	
WD028	
WD030	17
WD031	
WD032	18
WD033	
WD034	19
WD035	
WD036	
WD037	
WD038	20
WD039	
WOA13	21
WD040	
WD041	22
WD042	
WD043	
WD044	
WD045	
WD046	
WD050	
WD051	
WD047	24
WD048	
WD049	
WOA04	26
WD054	27
WD052	28
WD053	
WD055	

枫木 MAPLE GRAIN	
WD059	29
WD060	
WD056	30
WD057	
WD058	
WD061	
WMA01	32
WD062	33
WD063	
柳木 WILLOW GRAIN	
WD064	34
WD065	
桂木 KATSURAGI GRAIN	
WD067	35
WD068	
WD069	
WD066	36
科技木 TECH WOOD GRAIN	
WD070	37
WD071	38
WD072	
WD073	
WD074	
WD075	

榆木 ELM GRAIN	
WEL03	40
WEL02	42
WEL01	44
WD082	45
WD083	
WD084	
WD085	
梧桐木 SYCAMORE GRAIN	
WD113	46
WD114	
WD115	
楸香木 CATALPA GRAIN	
WD105	48
WD106	
WD107	
WD108	
WD111	49
WD112	
WD109	50
WD110	

柚木 TEAK GRAIN	
WD088	51
WD086	52
WD087	
WD089	
WD090	
WD091	
WD092	
麗木 NICE WOOD GRAIN	
WD103	53
WD104	
WD100	54
WD101	
WD102	
櫻桃木 CHERRY GRAIN	
WD121	56
WD122	
WD123	
WD125	57
WD126	
WD124	58

其他 OTHER	
WBI03	60
WD093	61
WD094	
WD095	
WD096	63
WD127	
WD128	
WD129	
WD097	64
WD098	
WD099	
WD119	65
WD120	
WD116	66
WD117	
WD118	
WDE01	68
WBI02	
WD136	69
WD134	70
WD135	
WD138	71
WD137	
WBL01	
WCE01	72
WD130	
WD131	
WD132	
WD133	
WSH02	73




▼ 所有產品均以實物為準！  
Subject to our available products!






# Walnut Grain Series

胡桃木



WD004



WD006




WD001



WD002



WD003



WD005



# Walnut Grain Series


胡桃木



WD007



WD008



WD009



WD010



WD011



WD012



# Walnut Grain Series

胡桃木





WHI08




# Walnut Grain Series

胡桃木



WD022



WD023




WD021





# Walnut Grain Series

胡桃木



WD020



WD017



WD018



WD019



# Walnut Grain Series

胡桃木



WD013



WD015



WD014



WD016

# Pear Grain Series

梨木



WD081



WD080



WD081



# Pear Grain Series

梨木



WD076



WD077



WD078



WD079



# Oak Grain Series

橡木



WD026



WD029



WD027



WD028



WD024




WD025






# Oak Grain Series


橡木




WD030



WD031



WD032



WD033





# Oak Grain Series

橡木




WD034



WD035




WD036



WD037



WD038



WD039





# Oak Grain Series

橡木



WOA13



WD040






WD043




WD044



WD045



WD046



WD041



WD042




# Oak Grain Series

橡木



WD050




WD051



WD048



WD049



WD047





# Oak Grain Series

橡木





□

WOA04



# Oak Grain Series


橡木




WD054



WD053



WD052




WD055




# Maple Grain Series


楓木



WD059




WD060




WD056



WD058



WD057



WD061



# Maple Grain Series

楓木





□


WMA01






# Maple Grain Series

楓木



WD062



WD063

# Willow Grain Series

柳木



WD065



WD064



# Katsuragi Grain Series


桂木



WD068



WD067



WD069




WD066



# Tech Wood Grain Series

科技木



WD070



WD072



WD071



WD074



WD073



WD075

Elm Grain Series  
榆木





□

WEL03





# Elm Grain Series

榆木





□

WEL02



# Elm Grain Series

榆木





□

WEL01



# Elm Grain Series

榆木



WD084



WD085



WD082



WD083



# Sycamore Grain Series

梧桐木



WD115



WD113



WD114



WD115



WD107

# Catalpa Grain Series

楸香水



WD105



WD106



WD107



WD108





# Catalpa Grain Series

楸香木



WD111



WD112



WD110




WD109





# Teak Grain Series

柚木



WD088




WD086



WD089




WD087



WD090



WD092



WD091



# Nice Wood Grain Series

麗木



WD103




WD104



WD101



WD102



WD100



# Cherry Grain Series

櫻桃木





WD121



WD122



WD123





# Cherry Grain Series

櫻桃木



WD125



WD126



WD124



WD124



Other

其他





□

WB103



Other

其他



WD093



WD094



WD096



WD095



WD093



Other

其他



WD127



WD129




WD128



WD098



WD099



WD097



WD097





Other

其他





WD117



WD116



WD118





Other


其他





□

WDE01



□

WBI02



Other

其他



WD136



WD134



WD135



Other


其他



WBL01




WD138



WD137




WCE01



WD130



WD131



WD132



WD133







Other

其他



WSH02

新品  
NEW PRODUCTS

New

WD168	74
WD166	75
WD164	
WD165	76
WD159	78
WD160	
WD141	79
WD139	
WD140	80
WD150	81
WD145	82
WD147	83
WD148	
WD149	
WD142	84
WD143	
WD144	
WD146	
WD163	85
WDJ01	86
WDJ02	
WD154	87
WD155	
WD156	
WD157	
WD158	
WD169	88
WD170	
WD171	
WD172	
WD173	

一撕一貼  
即刻改變

C H A N G E



WD168




# Italian Clear Lacquer Series

意式透明漆



WD166



WD164



WD165



WD165



# Italian Clear Lacquer Series

意式透明漆





WD159



WD160






# STONE Series

大理石



WD141



WD139



WD140



WD140



# STONE Series

大理石



WD150





WD145



# STONE Series


大理石



WD147




WD148



WD149



WD146



WD144



WD142



WD143



# WOVEN Series

布紋



WD163



專案定制 各種色系  
SPECIAL DESIGN VARIOUS COLORS







# METAL Series


金属



WD158



WD154



WD155




WD156



WD157

# Solid Color


純色



WD169




WD172



WD170



WD173



WD171